# MATERIAL SAFETY DATA SHEET

## 1. SUBSTANCE AND SOURCE IDENTIFICATION

National Institute of Standards and Technology Standard Reference Materials Program

SRM Number: 4972

MSDS Number: 4972

Standard Reference Materials Program MSDS Number: 4972 100 Bureau Drive, Stop 2320 SRM Name: Radon-222 Emanation

Gaithersburg, Maryland 20899-2320 Standard

Date of Issue: 10 April 2006

MSDS Coordinator: Mario Cellarosi Emergency Telephone ChemTrec:

E-mail: SRMMSDS@nist.gov

**Description:** This Standard Reference Material (SRM) consists of a heat-sealed polyethylene

capsule that contains a solution of radioactive radium-226 chloride (and its radioactive decay products), non-radioactive barium chloride and hydrochloric acid dissolved in approximately 0.2 mL of distilled water. The resulting solution is 1.0 M hydrochloric acid. The SRM is intended for the calibration of radon-222

measurement systems.

Substance: Radium-226 Chloride and Barium Chloride in 1.0 M Hydrochloric Acid

Other Designations: Radium-226 Chloride and Barium Chloride (barium dichloride) in

Hydrochloric Acid (aqueous hydrochloric acid; hydrogen chloride; muriatic

acid).

Radiological Hazard: The SRM capsule contains radium-226 with an activity of approximately 50 Bq. Radium-226 decays by alpha-particle emission. The progeny of radium-226 inside the capsule have a total activity of approximately 150 Bq and decay by alpha- and beta-particle emission. None of the alpha or beta particles escape from the SRM capsule. During the decay process, X-rays and gamma rays with energies from 11 keV to 2.5 MeV are also emitted. Some of these photons escape from the SRM capsule, but do not represent a radiation hazard. The capsule is shipped and is intended to be stored in a closed screw-cap vial. Gaseous radon-222 will escape from the capsule through diffusion so the capsule, when not in use, should be kept in the vial. None of alpha or beta particles from decay of radon-222 and its progeny escape from the closed glass vial. The total activity of radon-222 and its progeny inside the vial is approximately 220 Bq. High energy gamma rays may escape, but do not represent a radiation hazard. The SRM should be used only by persons qualified to handle radioactive material. The hazard information supplied in this MSDS is for the Chemical Hazard Only! For the hazard documentation concerning the radioactive material, refer to the SRM Certificate.

# 2. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Component: Hydrochloric Acid

**CAS Number:** 7647-01-0 **EC Number (EINECS):** 231-595-7

**SRM Nominal** 

Concentration: 1 M EC Classification: T, C EC Risk (R): 23, 35

**EC Safety (S):** 1, 2, 9, 26, 36, 37, 39, 45

NOTE: The total concentration of BaCl<sub>2</sub> in this material is less than 1 % of the composition of the mixture which is below the reportable limit required by OSHA according to 29 CFR 1910.1200 (g)(2)(i)(C)(1) for MSDS information of a health hazard. BaCl<sub>2</sub> is not listed in the National Toxicology Program (NTP) Annual Report on Carcinogens nor has it been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, or by OSHA.

MSDS 4972 Page 1 of 5

# 3. HAZARDS IDENTIFICATION

**Hydrochloric Acid** 

**NFPA Ratings (Scale 0–4):** Health = 3 Fire = 0 Reactivity = 0

**Major Health Hazards:** Respiratory tract burns. Skin burns. Eye burns. Mucous membrane burns.

**Potential Health Effects** 

Inhalation: Inhalation of fumes may cause irritation and burning of the nose, throat, and

upper respiratory tract, coughing and choking.

**Skin Contact:** Skin contact may cause severe irritation, inflammation, and chemical burns.

Eye Contact: Vapors are irritating and may cause damage to the eyes. Eye contact may cause

severe irritation, conjunctivitis, corneal necrosis, and burns with impairment or

permanent loss of vision.

Ingestion: Ingestion can cause pain and burns of the mouth, throat, esophagus, and

stomach. May also cause nausea, vomiting, diarrhea, chills, shock, and intense thirst. Perforation of the intestinal tract and circulatory collapse may occur.

Death may occur due to esophageal or gastric necrosis.

Listed as a Carcinogen/ Potential Carcinogen:

Yes No

X In the National Toxicology Program (NTP) Report on Carcinogens.

X In the International Agency for Research on Cancer (IARC)

X Monographs.

By the Occupational Safety and Health Administration (OSHA).

# 4. FIRST AID MEASURES

**Hydrochloric Acid** 

**Skin Contact:** Rinse affected area with copious amounts of water for at least 15 minutes while

removing contaminated clothing followed by washing the area with soap and

water. Obtain medical assistance if necessary.

Eye Contact: Immediately flush eyes, including under the eyelids, with copious amounts of

water for at least 15 minutes. Obtain medical assistance immediately.

Inhalation: If adverse effects occur, remove to uncontaminated area. Give artificial

respiration if not breathing by qualified personnel. Get medical attention if

necessary.

**Ingestion:** If ingestion occurs, contact poison control center or physician immediately. **DO** 

**NOT INDUCE VOMITING.** Give large quantities of water or milk. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than hips to prevent aspiration. If person is unconscious, turn head

to side. Obtain immediate medical assistance.

### 5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Hydrochloric acid is not considered a fire hazard. May react with metals or heat

to release flammable hydrogen gas.

**Extinguishing Media:** Use extinguishing agents appropriate for surrounding fire.

**Fire Fighting: DO NOT** touch spilled material. Move container from fire area if it can be done

without risk. Do not get water directly on material. Avoid inhalation of material

or combustion by-products.

**Flash Point (°C):** Not applicable.

**Method Used:** Not applicable.

**Autoignition Temp. (°C):** Not applicable.

MSDS 4972 Page 2 of 5

Flammability Limits in Air

**UPPER (Volume %):** Not applicable. **LOWER (Volume %):** Not applicable.

## 6. ACCIDENTAL RELEASE MEASURES

Occupational Release: DO NOT touch spilled material. Notify safety personnel of spill. Spills should

be handled according to radioactive spill procedures. In addition to the

radioactive material, the material contains a strong acid and is corrosive.

**Disposal:** Refer to Section 13, "Disposal Considerations".

### 7. HANDLING AND STORAGE

**Storage:** Store capsule in a closed screw-cap vial. Store and handle in accordance with all

current regulations and standards. Keep separated from incompatible

substances. Store in a well-ventilated area.

**Safe Handling Precautions:** See Section 8, "Exposure Controls and Personal Protection" and the Certificate

for SRM 4971.

#### 8. Exposure Controls and Personal Protection

**Exposure Limits:** Hydrochloric Acid

OSHA (PEL): 7 mg/m<sup>3</sup> (5 ppm) ceiling

ACGIH: 2 ppm ceiling

NIOSH: 7 mg/m<sup>3</sup> (5 ppm) recommended ceiling OES UK: 2 mg/m<sup>3</sup> (1 ppm) TWA (gas) (mist) OES UK: 8 mg/m<sup>3</sup> (5 ppm) STEL (gas) (mist)

Ventilation: Use a local exhaust ventilation system. Ensure compliance with applicable

exposure limits.

**Eye Protection:** Wear safety goggles. An eye wash station should be readily available near areas

of use.

**Personal Protection:** Wear appropriate protective clothing and disposable chemically resistant gloves

to prevent skin exposure.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Component: Hydrochloric Acid

**Appearance and Odor:** Colorless, liquid. Pungent, irritating odor.

**Relative Molecular Weight:** 36.5 g/mol

**Molecular Formula:** HCl

**Evaporation Rate** 

(for HCl solutions 0.02 N to 2 N): > 1 (ether = 1)

**Density (1 M HCl):** 1.0 g/cm<sup>3</sup> **Water Solubility:** Soluble.

## 10. STABILITY AND REACTIVITY

Stability: X Stable Unstable

Stable at normal temperature and pressure.

Conditions to Avoid: Avoid heat, flames, sparks and other sources of ignition. May ignite on contact

with combustible materials. May react with evolution of heat on contact with

water.

MSDS 4972 Page 3 of 5

**Incompatible Materials:** Hydrochloric acid is incompatible with cyanides, metals, amines, bases, metal

carbide, oxidizing materials, acids, halo carbons, combustible materials,

halogens, and metal salts.

**Fire/Explosion Information:** See Section 5, "Fire Fighting Measures".

**Hazardous Decomposition:** Acid halides.

Hazardous Polymerization: Will Occur X Will Not Occur

# 11. TOXICOLOGICAL INFORMATION

**Route of Entry:** X Inhalation X Skin X Ingestion

**Toxicity Data:** Man, Oral LD<sub>LO</sub>: 2 857 μg/kg

Woman, Oral LD<sub>LO</sub>: 420 µl/kg

Human, Inhalation LC<sub>LO</sub>: 1 300 ppm/30 min Human, Inhalation LC<sub>LO</sub>: 3 000 ppm/5 min Rat, Inhalation LC<sub>50</sub>: 3 124 ppm/1 h

Investigated as a mutagen and reproductive inhibitor.

**Health Effects** 

(Acute and Chronic): See Section 3: "Hazards Identification" for potential health effects.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity Data** 

**Fish Toxicity:** Fathead minnow (Pimephales promelas) LC<sub>50</sub> (mortality): 21 900 μg/L (96 h)

**Invertebrate Toxicity:** Water flea (Daphnia magna)  $EC_{50}$  (immobilization): 560  $\mu$ g/L (48 h)

**Algal Toxicity:** Green algae (Chlorella pyrenoidosa) EC<sub>50</sub> (population size reduction):

800 µg/L (1 600 weeks)

**Phytotoxicity:** Water-hyacinth (Eichhornia crassipes) (residue): 1 000 μg/L

(4 weeks to 48 weeks)

#### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal:** Dispose in accordance with all applicable federal, state, and local regulations for

radioactive materials. Hydrochloric acid is subject to disposal regulations U.S.

EPA 40 CFR 262, Hazardous Waste Number D002.

## 14. TRANSPORTATION INFORMATION

**SRM 4972:** Radon-222 Radioactivity Standard (0.2 mL)

**U.S. DOT and IATA:** Radioactive Material, excepted package, limited quantity of material, UN2910;

Hazard Class 7; Packing Group III; Sub Risk: Hydrochloric Acid, Dangerous

Goods in excepted quantities (0.2 mL).

## 15. REGULATORY INFORMATION

**U.S. Regulations:** CERCLA Sections 102a/103 (40 CFR 302.4):

Hydrochloric Acid: RQ 5 000 lbs (liquid)

SARA Title III Section 302 (40 CFR 355.30):

Hydrochloric Acid: TPQ 500 lbs (gas)

SARA Title III Section 304 (40 CFR 355.40):

Hydrochloric Acid: RQ 5 000 lbs (gas)

SARA Title III Section 313 (40 CFR 372.65):

Hydrochloric Acid: except non-aerosol forms

OSHA Process Safety (29 CFR 1910.119):

Hydrochloric Acid: TQ 500 lbs (gas)

California Proposition 65: Not regulated.

MSDS 4972 Page 4 of 5

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE: Yes.
CHRONIC: No.
FIRE: No.
REACTIVE: No.

SUDDEN RELEASE: No.

**CANADIAN Regulations:** WHMIS Classification: Not determined.

**EUROPEAN Regulations:** EC Classification:

T Toxic C Corrosive

Danger/Hazard Symbol:

T Toxic

EC Risk and Safety Phrases:

R 23 Toxic by inhalation.R 35 Causes severe burns.

S1/2 Keep locked up and out of reach of children.S 9 Keep container in a well-ventilated place.

S 26 In case of contact with eyes rinse immediately with plenty

of water and seek medical advice.

S 36/37/39 Wear suitable protective clothing, gloves, and eye/face

protection.

S 45 In case of accident or if you feel unwell, seek medical

advice immediately (show the label where possible).

**National Inventory Status** 

**U.S. Inventory** (**TSCA**): Hydrochloric Acid: Listed on inventory.

**TSCA 12 (b)** 

**Export Notification:** Not listed.

### 16. OTHER INFORMATION

Sources: MDL Information Systems, Inc., MSDS Hydrochloric Acid 15 September 2005.

**Disclaimer:** Physical and chemical data contained in this MSDS are provided only for use as a guide in assessing the hazardous nature of the material. The MSDS was prepared carefully, using current references; however, NIST does not certify the data in the MSDS. The certified values for this material are given in the NIST Certificate of Analysis.

MSDS 4972 Page 5 of 5